HISTORIC SITE FORM - HISTORIC SITES INVENTORY

PARK CITY MUNICIPAL CORPORATION (10-08)

1 IDENTIFICATION	174KC GITT WORKON	AL COM CHANNER (10 C	10)				
Name of Property: Frankel Buil	ding						
Address: 368 MAIN ST AKA:							
City, County: Park City, Summit County, Utah Tax Number: PC-284							
Current Owner Name: 368 MAIN STREET LC Parent Parcel(s):							
Current Owner Address: PO BO				. "			
E 0.46 FT FR THE NW COR OF THE E'LY R/W LN OF MAIN ST FACE ROJECTED77.91 FT; TH BLK 69; TH S 23*31'00" E 49.90 THE S'LY LN OF LOT 15 BLK 6 23*24'33" E 0.48 FT; TH S66*35 EXTENDED 63.05 FT TO PT OF 301 PC-284-B) BAL 0.01 ACRE BLK 22, PC SURVEY;& RUN THE TO THE SE COR OF A BRICK IT TO THE SW COR OFSD BLD ALGTHE E'LY R-O-W WAY LIN	FLOT 13 BLK 22 PARK; TH N 66* 35'02" E ALC S 23*29'48" E 9.98 FT; FT ALG THE E'LY LN 9; TH S 66*34'45" W 11 5'27" W ALG THE OUTS F BEG CONT 0.16 AC (S <u>and/or</u> BEG AT A PT H N 66}40'00" E 77.97 F BLDG;TH ALG THE OU G TH S 66}35'02" W 3.7	CITYSURVEY; & RUSTHE OUTSIDE FACTORY THE OUTSIDE FACTORY TO FLOTS 16 & 15 BIT OF LOTS 16 BIT OF AN EXECUTE OF AN EXECUTE OF AN EXECUTE OF AN EXECUTE OF AN EXECTORY OF THE SEX OF THE SEX OF THE EXECTORY OF THE OUTSIDE BRICK FACE OF THE OUTSIDE BRICK FACE OF THE EXECUTE OUTSIDE BRICK FACE OUTSIDE BRICK FACE OUTSIDE BRICK FACE OUTSIDE TO THE EXECUTE OUTSIDE OUTSIDE BRICK FACE OUTSIDE OU	XIST BLDG & SD BLDG FACE 18 PC-284-A)(LESS 0.08 AC 1007- FT FRTHE NW COR OF LOT 16, 24.98 FT; TH S 66}35'02" W 5.00 FT OF SD BLDGS 66}35'02" W 69.18 R-O-W LINE OF MAIN STREET; TH	5 16 .LG - FT			
2 STATUS/USE							
Property Category ☑ building(s), main □ building(s), attached □ building(s), detached □ building(s), public □ building(s), accessory □ structure(s)	Evaluation* ☑ Landmark Site □ Significant Site □ Not Historic *National Register of H ☑ listed (date: 03/07/1		<u>Use</u> Original Use: Commercial Current Use: Commercial igible □ eligible Street Historic District)				
3 DOCUMENTATION							
Photos: Dates □ tax photo: □ prints: □ historic: c. Drawings and Plans □ measured floor plans □ site sketch map □ Historic American Bldg. Surve □ original plans: □ other:	□ abstract of ti □ tax card □ original build □ sewer permi □ Sanborn Ma □ obituary inde □ city directori ey □ census reco	ding permit it it ips ex es/gazetteers rds encyclopedias	□ university library(ies):				
<u>Bibliographical References</u> (boo	ks, articles, interviews,	etc.) Attach copies o	f all research notes and materials.				
Blaes, Dina & Beatrice Lufkin. "Fina Carter, Thomas and Goss, Peter. University of Utah Graduate Sc Longstreth, Richard. <i>The Buildings</i> Alta Mira Press, a division o	Itah's Historic Architecture hool of Architecture and U of Main Street; A Guide to	e, 1847-1940: a Guide. Itah State Historical Soc Commercial Architectu	Salt Lake City, Utah:				

Researcher/Organization: Preservation Solutions/Park City Municipal Corporation Date: 12-2008

Notarianni, Philip F., "Park City Main Street Historic District." National Register of Historic Places Inventory, Nomination Form. 1979.

Roberts, Allen. "Final Report." Park City Reconnaissance Level Survey. Salt Lake City: 1995.

4 ARCHITECTURAL DESCRIPTION & INTEGRITY
Building Type and/or Style: 1-Part Block No. Stories: 1
Additions: ☐ none ☑ minor ☐ major (describe below) Alterations: ☐ none ☑ minor ☐ major (describe below)
Number of associated outbuildings and/or structures: □ accessory building(s), #; □ structure(s), #
General Condition of Exterior Materials:
☑ Good (Well maintained with no serious problems apparent.)
☐ Fair (Some problems are apparent. Describe the problems.):
☐ Poor (Major problems are apparent and constitute an imminent threat. Describe the problems.):
☐ Uninhabitable/Ruin
Materials (The physical elements that were combined or deposited during a particular period of time in a particular pattern or configuration. Describe the materials.): Foundation: Tax cards indicate the foundation is stone; not verified.
Walls: Face brick.
Roof: flat roof.
Windows/Doors: Large display windows, fully-glazed entry door, and transom windows.
Essential Historical Form: ☑ Retains ☐ Does Not Retain, due to:
Location: ☑ Original Location ☐ Moved (date) Original Location:
Design (The combination of physical elements that create the form, plan, space, structure, and style. Describe additions and/or alterations from the original design, including datesknown or estimatedwhen alterations were made): The one-story 1-Part block has been significantly altered from the description provided in the Netional Register permission. The incompatible elements

Design (The combination of physical elements that create the form, plan, space, structure, and style. Describe additions and/or alterations from the original design, including dates--known or estimated--when alterations were made): The one-story 1-Part block has been significantly altered from the description provided in the National Register nomination. The incompatible alterations that had been made by 1979 when the building was nominated to the NR have been removed and the typical storefront elements seen in the tax photo are restored, though the placement of the door and display windows has been changed. The 1907 Sanborn map shows a porch element, but it had been removed by the time the tax photo was taken. The changes do not affect the site's original design integrity.

Setting (The physical environment--natural or manmade--of a historic site. Describe the setting and how it has changed over time.): The setting is typical of a mining era commercial core; buildings are located adjacent to one another and abut the sidewalk or street edge.

Workmanship (The physical evidence of the crafts of a particular culture or people during a given period in history. Describe the distinctive elements.): The physical evidence from the period that defines this as a typical Park City mining era commercial building are the simple methods of construction, the use face brick, the recessed entrance flanked by display windows, transom windows, the restrained ornamentation, and the plain finishes.

Feeling (Describe the property's historic character.): The physical elements of the site, in combination, convey a sense of the commercial activity in a western mining town of the late nineteenth and early twentieth centuries.

Association (Describe the link between the important historic era or person and the property.): The one-part block is one of the most common commercial building types constructed in Park City during the mining era.

This site was listed on the National Register of Historic Places in 1979 as part of the *Park City Main Street Historic District*. It was built within the historic period (1868-1929), is associated with the mining era, and retains its historic integrity. As a result, it meets the criteria set forth in LMC Chapter 15-11 for designation as a Landmark Site.

5 SIGNIFICANCE		
Architect: ☑ Not Known ☐ Known:		Date of Construction: c. 1907 ¹
Builder: ☑ Not Known ☐ Known: The site must represent an important significant under one of the three area	(source:) part of the history or architecture of the con is listed below:	nmunity. A site need only be
1. Historic Era: ☐ Settlement & Mining Boom Era ☐ Mature Mining Era (1894-1930) ☐ Mining Decline & Emergence of	(1868-1893)	

Park City was the center of one of the top three metal mining districts in the state during Utah's mining boom period of the late nineteenth and early twentieth centuries, and it is one of only two major metal mining communities that have survived to the present. Park City's commercial buildings represent the best remaining metal mining town business district in the state. The buildings along Main Street, in particular, provide important documentation of the commercial character of mining towns of that period, including the range of building materials, building types, and architectural styles. They contribute to our understanding of a significant aspect of Park City's economic growth and architectural development as a mining business district².

- 2. Persons (Describe how the site is associated with the lives of persons who were of historic importance to the community or those who were significant in the history of the state, region, or nation):
- 3. Architecture (Describe how the site exemplifies noteworthy methods of construction, materials or craftsmanship used during the historic period or is the work of a master craftsman or notable architect):

6 PHOTOS

Digital color photographs are on file with the Planning Department, Park City Municipal Corp.

Photo No. 1: West elevation. Camera facing east, 2006.

Photo No. 2: Northwest oblique. Camera facing southeast, 1995.

Photo No. 3: Northwest oblique. Camera facing southeast, c. 1960.

Photo No. 4: Southwest oblique. Camera facing northeast, c. 1970.


Photo No. 5: Southwest oblique. Camera facing northeast, tax photo.

¹ Notarianni, page 40.

⁻

² From "Park City Main Street Historic District" written by Philip Notarianni, 1979 and "Residences of Mining Boom Era, Park City - Thematic Nomination" written by Roger Roper, 1984.

	19 lace	PC	284				
	A CONTRACTOR OF THE PARTY OF TH	Serial N	Jumber			Chrd	OF
	*	1-			Sie	Caru	number n Po
ners	Name	E m	C- (61	rang	W.		820
Location				- '	1.1		
Kind of	Bldg. Club	St. 1	No. 368	8 mai	nst		
Class	6 Res Vai	L Type 1@ 3 4.	Cost \$ _	9	892		X 1045 %
Stories	Dimensions	Sq. Ft.	Factor		Cotals	T	Totals
* /	× 25 ×69	1725		sini	10337 \$		
	x x	1102		0 100			
	x x						
Att. Gar	.—C.Px I	ir. Walls	Cl.			+	
	Description	Divine Control of the Control			litions	Ħ	Additions
						Ħ	
	ion—Stone	Conc	_Sills			H	
		h1	1	_		\vdash	
	pe — }lal	1 /	(_		+	
	—Small Med	the state of the s	е	-			
	mall Med _		@301	0	50		
	Front Side				011		-
				2	04		
Service N			_@				
Planters	4		_ @				
Ext. Bas	e. Entry 25 / 6 9 smt. — 1/4 1/3 1/2 3/3 3/3	17254	_ @	19	46	+	
		4 Full F	loor Con C	11	76	H	
Bsmt. Ga				-		Н	
	t-Apt Rms.					H	-/_
Attic Roo	oms Fin.	Unfin		-	20	H	Rawar
	Class	Tub	Frays	200	7	Fld	9/11/00
Plumbin	Basin S Wtr. Sftr.	Shr. St. W.	O.T.	- 17	.5		0-1501
	Dishwasher	Garbage l					1932
Heat—St	ove H.A(FA)	HWStkr		-	6	П	
Oil		Pipeless R		74	3		
Air Cond	. — Full						
Finish—1	Fir Hd. Wd.	Pan	el				
	ir Hd. Wd						
	Mante						
	illsWainse						
	ash—Wood D S.						<u> </u>
			and the second second				
486	Awnings 3 Metal Fiberglass Fiberglass 486 3 Mey 7 . C 150						
	/						
Total Add	litions			50	.74		
Year Bui	ilt Avg 1	.1908 Replacen	nent Cost	16			
_ till Du	Age 2	The second second		7.0	- 11		-
		-					
Inf. by	Owner - Tenant Neighbor - Record -	Est. Conv. Fa			.47		
-	•	nent Cost—1940		75;	_		
	and the second second	tion Column 1	And the same		2.5		
		se Cost, Less Der		18	CST DE		
Total Val	ue from reverse side		rectation	10	9		i i
		Total Build	ling Value	8			
1	201				3 = 0		
Appraise	1 <u>3-26</u>	19 6 8	_ By 13.	22.13	PP 1		DPD 225
Appraise	1 ②	19	_ Ву	97	14 23 Y	_	968,328



RESIDENTIAL OUT BUILDINGS	Age	Size	Area	Fac- tor	Cost	Conv. Fac.	Depr. Value
Blotop	1968	x	1200	12	149	.47	
,		x				.47	
		x				.47	
		x				.47	
		x				.47	
		x				.47	
Garage — Class Depr. 2 % Cars Floor Wal							
Size x Age		_ Cost	_	_	x 47%		
1010 2000 0000			To				
REMARKS							
_ 8							
TC-74 REV. 61 STATE OF UTAH - STATE TAX COM	міззіо	N					

Thomas R & Bonnie J Mathews PC 284
2311 Connecticut Ave M8-521
Wash. D. C. 20008 VarLB22
HQC236CQC535-

Und 1/3 int in

PC 284 NI ft lot 14; all lots 15 & 16 & S 10 ft lot "B" Blk 22 Park City Survey

M79-741 494 IQC358M74-159

PC 284-A + 284-B were cancelled and added onto

	A 20 A 20						2 1 2 2 2 2 2 2 2
					PA	RCEL	. NO.
						615X75 1,000	FRONTAGE OR AREA
						1.000	DEPTH FACTOR
					00	2004	RATE
ASSESSED							CORNER INFLU- ENCE
VALUE 180	TOTAL						RATE
ASSESSED VALUE 1880 2460 -3 - 820	12.30	·			121200	17 2/1	VALUE









