PARK CITY MUNICIPAL CODE TABLE OF CONTENTS

TITLE 15 LAND MANAGEMENT CODE - CHAPTER 2.5

TITLE 15 - LAND MANAGEMENT CODE

CHAPTER 2.5 - HI	ISTORIC RECREATION COMMERCIAL (HRC) DISTRIC	CT
15-2.5- 1.	PURPOSE	1
15-2.5- 2.	USES	1
15-2.5- 3.	LOT AND SITE REQUIREMENTS	3
15-2.5- 4.	ACCESS	7
15-2.5- 5.	BUILDING HEIGHT	7
15-2.5- 6.	EXISTING HISTORIC STRUCTURES	8
15-2.5- 7.	ARCHITECTURAL REVIEW	8
15-2.5- 8.	MECHANICAL SERVICE	8
15-2.5- 9.	SERVICE ACCESS	9
15-2.5-10.	HEBER AVENUE SUB-ZONE	9
15-2.5-11.	PARKING REGULATIONS.	9
15-2.5-12.	CRITERIA FOR BED AND BREAKFAST INNS	10
15-2.5-13.	GOODS AND USES TO BE WITHIN ENCLOSED BUILDIN	\G 10
15-2.5-14.	VEGETATION PROTECTION	14
15-2.5-15.	SIGNS	15
15-2.5-16.	RELATED PROVISIONS	15



<u>TITLE 15 - LAND MANAGEMENT CODE (LMC)</u> CHAPTER 2.5 - HISTORIC RECREATION COMMERCIAL (HRC) DISTRICT

Chapter adopted by Ordinance No. 00-51

15-2.5-1. PURPOSE.

The purpose of the Historic Recreation Commercial (HRC) District is to:

- (A) maintain and enhance characteristics of Historic Streetscape elements such as yards, trees, vegetation, and porches,
- (B) encourage pedestrian oriented, pedestrian-scale Development,
- (C) minimize visual impacts of automobiles and parking,
- (D) preserve and enhance landscaping and public spaces adjacent to Streets and thoroughfares,
- (E) provide a transition in scale and land Uses between the HR-1 and HCB Districts that retains the character of Historic Buildings in the Area,
- (F) provide a moderate Density bed base at the Town Lift,

- (G) allow for limited retail and Commercial Uses consistent with resort bed base and the needs of the local community,
- (H) encourage preservation and rehabilitation of Historic Buildings and resources.
- (I) maintain and enhance the long term viability of the downtown core as a destination for residents and tourists by ensuring a Business mix that encourages a high level of vitality, public Access, vibrancy, activity, and public/resort-related attractions.

(Amended by Ord. No. 07-55)

15-2.5-2. USES.

Uses in the HRC are limited to the following:

(A) <u>ALLOWED USES</u>.

- (1) Single Family Dwelling
- (2) Duplex Dwelling
- (3) Secondary Living Quarters

- (4) Lockout Unit^{1, 5}
- (5) Accessory Apartment^{2, 5}
- (6) Nightly Rental⁵
- (7) Home Occupation⁵
- (8) Child Care, In-Home Babysitting
- (9) Child Care, Family³
- (10) Child Care, Family Group³
- (11) Child Care Center³
- (12) Accessory Building and Use
- (13) Conservation Activity
- (14) Agriculture
- (15) Bed and Breakfast Inn^{4, 5}
- (16) Boarding House, Hostel⁵
- (17) Hotel, Minor, fewer than 16 rooms⁵
- (18) Office, General⁵

¹Nightly rental of Lockout Units requires a Conditional Use permit

²See LMC Chapter 15-4, Supplementary Regulations for Accessory Apartments

³See LMC Chapter 15-4-9 for Child Care Regulations

⁴Requires an Administrative or Administrative Conditional Use permit, see Section 15-4.

⁵ Prohibited in HRC Zoned Storefront Property adjacent to Main Street, Heber Avenue and Park Avenue, **excluding** those HRC Zoned Properties on the west side of Park Avenue and also excluding those HRC Zoned Properties with the following addresses: 702 Main Street, 710 Main Street, 738 Main Street (for the plaza side storefronts), 780 Main Street, 804 Main Street (for the plaza side storefronts), 890 Main Street, 900 Main Street, and 820 Park Avenue. Hotel rooms shall not be located (19) Parking Area or Structure, with four (4) or fewer spaces

(B) <u>CONDITIONAL USES</u>⁹.

- (1) Triplex Dwelling
- (2) Multi-Unit Dwelling
- (3) Guest House, on Lots one acre
- (4) Group Care Facility
- (5) Public and Quasi-Public Institution, Church, School
- (6) Essential Municipal Public Utility Use, Facility, Service and Structure
- (7) Telecommunication Antenna⁶
- (8) Satellite Dish, greater than thirty-nine inches (39") in diameter⁷
- (9) Plant and Nursery stock products and sales
- (10) Hotel, Major
- (11) Timeshare Projects and Conversions⁵
- (12) Private Residence Club Project and Conversion^{4,5}
- (13) Office, Intensive⁵
- (14) Office and Clinic, Medical⁵
- (15) Financial Institution, without drive-up window⁸

within Storefront Property; however access, circulation, and lobby areas are permitted within Storefront Property.

⁶See LMC Chapter 15-4-14, Supplemental Regulations For Telecommunication Facilities

⁷See LMC Chapter 15-4-13, Supplemental Regulations For Satellite Receiving Antennas

- (16) Commercial Retail and Service, Minor⁸
- (17) Commercial Retail and Service, personal improvement⁸
- (18) Neighborhood Convenience Commercial, without gasoline sales
- (19) Café or Deli⁸
- (20) Restaurant, General⁸
- (21) Restaurant and café, Outdoor Dining⁴
- (22) Outdoor Events and Uses⁴
- (23) Bar
- (24) Parking Area or Structure, with five (5) or more spaces
- (25) Temporary Improvement
- (26) Passenger Tramway Station and Ski Base Facility
- (27) Ski Tow, Ski Lift, Ski Run, and Ski Bridge
- (28) Recreation Facility,
 Commercial, Public, and
 Private
- (29) Entertainment Facility, Indoor
- (30) Fences greater than six feet (6') in height from Final Grade⁴

⁸If Gross Floor Area is less than 2,000 sq. ft., the Use shall be considered an Allowed Use

⁹No community locations are defined by Utah Code 32-B-1-102 (Alcoholic Beverage Control Act) are permitted within 200 feet of Main Street unless a variance is permitted for an outlet, as defined by Utah Code 32B-1-202, to obtain a liquor license.

- (31) Private Residence Club, Off-Site⁵
- (32) Special Events⁴
- (C) <u>PROHIBITED USES</u>. Unless otherwise allowed herein, any Use not listed above as an Allowed or Conditional Use is a prohibited Use.

(Amended by Ord. Nos. 04-39; 06-69; 07-55; 09-10; 12-37; 16-02)


15-2.5-3. LOT AND SITE REQUIREMENTS.

Except as may otherwise be provided in this Code, no Building Permit shall be issued for a Lot unless such Lot has the Area, width, and depth as required, and Frontage on a Street shown as a private or Public Street on the Streets Master Plan, or on a private easement connecting the Lot to a Street shown on the Streets Master Plan.

All Development activity must comply with the following minimum Lot and Site requirements:

- (A) **FRONT YARD**. The minimum Front Yard is ten feet (10').
- (B) FRONT YARD EXCEPTIONS.

 The Front Yard must be open and free of any Structure except:
 - (1) Fences, walls, and retaining walls not more than four feet (4') in height, or as permitted in Section 15-4-2. On Corner Lots, Fences more than three feet (3') in height are prohibited within twenty five feet



Front Yard

in height from Final Grade, not including any required handrail, and do not cause danger or hazard to traffic by obstructing the view of the Street or intersection.


- (3) Decks, porches, and Bay Windows, not more than ten feet (10') wide, projecting not more than three feet (3') into the Front Yard.
- (4) Roof overhangs, eaves, and cornices, projecting not more than three feet (3') into the Front Yard.
- (5) Sidewalks, patios, and pathways.
- (6) Driveways leading to a garage or Parking Area. No portion of a Front Yard, except for approved driveways, allowed Parking Areas, patios, and sidewalks may be Hard-Surfaced or graveled.

(C) **REAR YARD**. The minimum Rear Yard is ten feet (10').

(D) **REAR YARD EXCEPTIONS**.

The Rear Yard must be open and free of any Structure except:

- (1) Bay Windows not more than ten feet (10') wide projecting not more than two feet (2') into the Rear Yard.
- (2) Chimneys not more than five feet (5') wide projecting not more than two feet (2') into the Rear Yard.
- (3) Window wells and light wells projecting not more than four feet (4') into the Rear Yard.
- (4) Roof overhangs and eaves projecting not more than two feet (2') into the Rear Yard.
- (5) Window sills, belt courses, cornices, trim, exterior siding, or other ornamental features projecting not more than six inches (6") beyond the window or main Structure to which it is attached.
- (6) A detached Accessory
 Building not more than eighteen feet
 (18') in height, located a minimum of
 five feet (5') behind the front facade
 of the Main Building, and
 maintaining a minimum Rear Yard
 Setback of one foot (1'). Such
 Structure must not cover over fifty
 percent (50%) of the Rear Yard. See
 the following illustration:



- (7) Hard-Surfaced Parking Areas subject to the same location requirements as a detached Accessory Building.
- (8) Screened mechanical equipment, hot tubs, and similar Structures located at least five feet (5') from the Rear Lot Line.
- (9) Fences, walls, and retaining walls not more than six feet (6') in height, or as permitted in Section 15-4-2.
- (10) Patios, decks, steps, pathways, and similar Structures not

more than thirty inches (30") above Final Grade, located at least five feet (5') from the Rear Lot Line.

(E) $\underline{\mathbf{SIDE\ YARD}}$.

- (1) The minimum Side Yard is five feet (5').
- (2) On Corner Lots, the Side Yard that faces a Street is ten feet (10') for both main and accessory Structures.
- (3) A Side Yard between connected Structures is not required where the Structures are designed

with a common wall on a Property Line and the Lots are burdened with a party wall agreement in a form approved by the City Attorney and Chief Building Official. The longest dimension of a Building joined at the Side Lot Line may not exceed one hundred feet (100').

- (F) SIDE YARD EXCEPTIONS. The Side Yard must be open and free of any Structure except:
 - (1) Bay Windows, not more than ten feet (10') wide, projecting not more than two feet (2') into the Side Yard.
 - (2) Chimneys not more than five feet (5') wide, projecting not more than two feet (2') into the Side Yard.
 - (3) Window wells and light wells projecting not more than four feet (4') into the Side Yard.
 - (4) Window sills, belt courses, cornices, trim, exterior siding, and other ornamental features, projecting not more than six inches (6") beyond the window or main Structure to which it is attached.
 - (5) Roof overhangs and eaves projecting not more than two feet (2') into the Side Yard.
 - (6) Patios, decks, pathways, steps, and similar Structures not more than thirty inches (30") in height from Final Grade, provided

- there is at least a one foot (1') Setback to the Side Lot Line.
- (7) Fences, walls and retaining walls not more than six feet (6'), or as permitted in Section 15-4-2.
- (8) Driveways leading to a garage or approved Parking Area.
- (9) Pathways and steps connecting to a City stairway or pathway.
- (10) A detached Accessory Building not more than eighteen feet (18') in height, located a minimum of five feet (5') behind the front facade of the Main Building, maintaining a minimum Side Yard Setback of three feet (3').
- (11) A covered arcade between projects provided that the highest point of the arcade is not more than fifteen feet (15') above the elevation of the walk.
- (G) **FLOOR AREA RATIO**. In all projects within the HRC Zone:

(1) STRUCTURES BUILT AFTER OCTOBER 1, 1985.

Except in the Heber Avenue Sub-Zone Area, non-residential Uses are subject to a Floor Area Ratio to restrict the scope of non-residential Use within the District. For Properties located east of Park Avenue, the Floor Area Ratio for non-residential Uses is 1. For Properties located on the west side of Park Avenue, the Floor Area Ratio for non-residential Uses is 0.7.

(2) STRUCTURES BUILT PRIOR TO OCTOBER 1, 1985.

Structures existing as of October 1, 1985 are not subject to the Floor Area Ratio, and may be used in their entirety for non-residential Uses as provided in this ordinance.

(H) <u>SNOW RELEASE</u>. Site plans and Building designs must resolve snow release issues to the satisfaction of the Chief Building Official.

(I) **CLEAR VIEW OF**

INTERSECTION. No visual obstruction in excess of two feet (2') in height above road Grade shall be placed on any Corner Lot within the Site Distance Triangle. A reasonable number of trees may be allowed, if pruned high enough to permit automobile drivers an unobstructed view. This provision must not require changes in the Natural Grade on the Site.

(Amended by Ord. Nos. 06-69; 09-10)

15-2.5-4. ACCESS.

- (A) **VEHICULAR ACCESS**. A Project may have only one vehicular Access from Park Avenue, Main Street, Heber Avenue, Swede Alley, or Deer Valley Drive, unless an additional Access is approved by the Planning Commission.
- (B) <u>PEDESTRIAN ACCESS</u>. An Applicant must build, and if necessary,

dedicate a Sidewalk on all Street Frontages.

15-2.5-5. BUILDING HEIGHT.

No Structure shall be erected to a height greater than thirty-two feet (32') from Existing Grade. This is the Zone Height.

- (A) **BUILDING HEIGHT EXCEPTIONS**. The following height exceptions apply:
 - (1) Gable, hip, and similar pitched roofs may extend up to five feet (5') above the Zone Height, if the roof pitch is 4:12 or greater.
 - (2) Antennas, chimneys, flues, vents, and similar Structures, may extend up to five feet (5') above the highest point of the Building to comply with International Building Code (IBC) requirements.
 - (3) Water towers, mechanical equipment, and associated Screening, when enclosed or Screened, may extend up to five feet (5') above the height of the Building.
 - (4) Church spires, bell towers, and like architectural features subject to the Historic District Design Guidelines, may extend up to fifty percent (50%) above the Zone Height, but may not contain Habitable Space above the Zone Height. Such exception requires approval by the Planning Director.
 - (5) An Elevator Penthouse may

extend up to eight feet (8') above the Zone Height.

(6) To accommodate a roof form consistent with the Historic District Design Guidelines, the Planning Director may grant additional Building Height provided that no more than twenty percent (20%) of the roof ridge line exceeds the height requirement and complies with height exception criteria in Section 15-2.2-6(B)(10).

(Amended by Ord. Nos. 06-69; 07-25; 09-10)

15-2.5-6. EXISTING HISTORIC STRUCTURES.

Historic Structures that do not comply with Building Setbacks, Off-Street parking, and driveway location standards are valid Non-Complying Structures. Additions to Historic Structures are exempt from Off-Street parking requirements provided the addition does not create a Lockout Unit or an Accessory Apartment. Additions must comply with Building Setbacks, driveway location standards, and Building height.

- (A) **EXCEPTION**. In order to achieve new construction consistent with the Historic District Design Guidelines, the Planning Director may grant an exception to the Building Setbacks and driveway location standards for additions to Historic Buildings:
 - (1) Upon approval of a Conditional Use Permit,

- (2) When the scale of the addition or driveway is Compatible with the Historic Structure,
- (3) When the addition complies with all other provisions of this Chapter, and
- (4) When the addition complies with the International Building and Fire Codes.

(Amended by Ord. No. 06-69)

15-2.5-7. ARCHITECTURAL REVIEW.

Prior to issuance of a Building Permit for any Conditional or Allowed Use, the Planning Department shall review the proposed plans for compliance with the Design Guidelines for historic Districts and Historic Sites, Historic Preservation LMC Chapter 15-11, and Architectural Review LMC Chapter 15-5.

Appeals of departmental actions on compliance with the Design Guidelines for Historic Districts and Historic Sites, LMC Chapter 15-11, and LMC Chapter 15-5 are heard by the Board of Adjustment as outlined in Section 15-1-18 of the Code.

(Amended by Ord. Nos. 06-69; 09-23; 15-53)

15-2.5-8. MECHANICAL SERVICE.

All exterior mechanical equipment must be Screened to minimize noise infiltration to

adjoining Properties and to eliminate visual impacts on nearby Properties, including those Properties located above the roof tops of Structures in the HRC District.

All mechanical equipment must be shown on the plans prepared for architectural review by the Planning, Building, and Engineering Departments. The staff will approve or reject the location, Screening and painting of such equipment as part of the architectural review process.

(Amended by Ord. No. 06-69)

15-2.5-9. SERVICE ACCESS.

All Development must provide an on-Site refuse collection and loading Area. Refuse and service Areas must be properly Screened and ventilated. Refuse collection Areas may not be located in the required Yards.

15-2.5-10. HEBER AVENUE SUB-ZONE.

Properties fronting on the north side of Heber Avenue, and east of Park Avenue, are included in the Heber Avenue Sub-Zone for a depth of 150 feet (150') from the Street Right-of-Way. Within the Heber Avenue Sub-Zone, all of the Site Development standards and land Use limitations of the HRC District apply, except:

- (A) The Allowed Uses within the sub-zones are identical to the Allowed Uses in the HCB District.
- (B) The Conditional Uses within the sub-zone are identical to the

Conditional Uses in the HCB District.

(C) The Floor Area Ratio limitation of the HRC District does not apply.

15-2.5-11. PARKING REGULATIONS.

- (A) Tandem Parking is allowed in the Historic District.
- (B) Common driveways are allowed along shared Side Yard Property Lines to provide Access to parking in the rear of the Main Building, or below Grade, if both Properties are deed restricted to allow for the perpetual use of the shared drive.
- (C) Common Parking Structures are allowed where such a grouping facilitates:
 - (1) the Development of individual Buildings that more closely conform to the scale of Historic Structures in the District; and
 - (2) the reduction, mitigation, or elimination of garage doors at the Street edge.
- (D) A common Parking Structure may occupy below Grade Side Yards between participating Developments if the Structure maintains all Setbacks above Grade.

 Common Parking Structures are subject to a Conditional Use Review, Section 15-1-10.
- (E) Driveways between Structures are

allowed to eliminate garage doors facing the Street, to remove cars from on-Street parking, and to reduce paved Areas, provided the driveway leads to an approved garage or Parking Area.

- (F) Turning radii are subject to review by the City Engineer as to function and design.
- (G) See Section 15-3 Off Street Parking for additional parking requirements.

(Amended by Ord. Nos. 06-69; 09-10)

15-2.5-12. CRITERIA FOR BED AND BREAKFAST INNS.

A Bed and Breakfast Inn is an Allowed Use subject to an Administrative Conditional Use permit. No Administrative Conditional Use permit may be issued unless the following criteria are met:

- (A) The Use is in a Historic Structure or addition thereto, or a historically Compatible Structure.
- (B) The Applicant will make every attempt to rehabilitate the Historic portion of the Structure.
- (C) The Structure has at least two (2) rentable rooms. The maximum number of rooms will be determined by the Applicant's ability to mitigate neighborhood impacts.
- (D) In Historic Structures, the size and configuration of the rooms are Compatible with the Historic character of the Building and neighborhood.

- (E) The rooms are available for Nightly Rental only.
- (F) An Owner/manager is living on-Site, or in Historic Structures there must be twenty-four (24) hour on-Site management and check-in.
- (G) Food service is for the benefit of overnight guests only.
- (H) No Kitchen is permitted within rental room(s).
- (I) Parking on-Site is required at a rate of one (1) space per rentable room. The Planning Director may waive the parking requirement for Historic Structures if the Applicant proves that:
 - (1) no on-Site parking is possible without compromising the Historic Structure or Site, including removal of existing Significant Vegetation, and all alternatives for proximate parking have been explored and exhausted; and
 - (2) the Structure is not economically feasible to restore or maintain without the adaptive Use.
- (J) The Use complies with Section 15-1-10, Conditional Use review.

(Amended by Ord. No. 06-69)

15-2.5-13. GOODS AND USES TO BE WITHIN ENCLOSED BUILDING.

- (A) **OUTDOOR DISPLAY OF GOODS PROHIBITED**. Unless expressly allowed as an Allowed or Conditional Use. or allowed with an Administrative Permit, all goods, including food, beverage and cigarette vending machines, must be within a completely enclosed Structure. New construction of enclosures for the storage of goods shall not have windows and/or other fenestration that exceeds a wall-to-window ratio of thirty percent (30%). This section does not preclude temporary sales in conjunction with a Master Festival License, sidewalk sale, or seasonal plant sale. See Section 15-2.5-13(B)(3) for outdoor display of bicycles, kayaks, and canoes.
- (B) OUTDOOR USES PROHIBITED/
 EXCEPTIONS. The following outdoor uses may be allowed by the Planning Department upon the issuance of an Administrative Conditional Use permit or an Administrative Permit as described herein. The Applicant must submit the required Application, pay all applicable fees, and provide all required materials and plans. Appeals of Departmental Actions are heard by the Planning Commission.

(1) **OUTDOOR DINING.**

Outdoor dining requires an Administrative Conditional Use Permit and is subject to the following criteria:

> (a) The proposed seating Area is located on private Property or leased public Property and does not diminish parking or landscaping.

- (b) The proposed seating Area does not impede pedestrian circulation.
- (c) The proposed seating Area does not impede emergency Access or circulation.
- (d) The proposed furniture is Compatible with the Streetscape.
- (e) No music or noise is in excess of the City Noise Ordinance, Title 6.
- (f) No Use after 10:00 p.m.
- (g) Review of the Restaurant's seating capacity to determine appropriate mitigation measures in the event of increased parking demand.
- (2) OUTDOOR
 GRILLS/BEVERAGE SERVICE
 STATIONS. Outdoor grills and/or beverage service stations require an Administrative Conditional Use permit and are subject to the following criteria:
 - (a) The Use is on private Property or leased public Property and does not diminish parking or landscaping.

- (b) The Use is only for the sale of food or beverages in a form suited for immediate consumption.
- (c) The Use is Compatible with the neighborhood.
- (d) The proposed service station does not impede pedestrian circulation.
- (e) The proposed service station does not impede emergency Access or circulation.
- (f) Design of the service station is Compatible with the adjacent Building and Streetscape.
- (g) No violation of theCity Noise Ordinance, Title6.
- (h) Compliance with the City Sign Code, Title 12.
- (3) OUTDOOR STORAGE AND DISPLAY OF BICYCLES, KAYAKS, MOTORIZED SCOOTERS, AND CANOES.

Outdoor storage and display of bicycles, kayaks, motorized scooters, and canoes, requires an Administrative Permit subject to the following criteria:

- (a) The Area of the proposed bicycle, kayak, motorized scooters, or canoe storage or display is on private Property and not in Areas of required parking or landscaped planting beds.
- (b) Bicycles, kayaks, and canoes may be hung on a Historic Structure if sufficient Site Area is not available, provided the display does not impact of alter the architectural integrity or character of the Structure.
- (c) No more than a total of fifteen (15) pieces of equipment may be displayed.
- (d) Outdoor display is only allowed during Business hours.
- (e) Additional outdoor storage Areas may be considered for rental bicycles or motorized scooters, provided there are no or only minimal impacts on landscaped Areas, Parking Spaces, and pedestrian and emergency circulation.
- (4) **OUTDOOR EVENTS AND MUSIC**. Outdoor events and music require an Administrative
 Conditional Use permit. The Use must also comply with Section 15-1-

- 10, Conditional Use review. The Applicant must submit a Site plan and written description of the event, addressing the following:
 - (a) Notification of adjacent Property Owners.
 - (b) No violation of the City Noise Ordinance, Title6.
 - (c) Impact on adjacent residential Uses.
 - (d) Proposed plans for music, lighting, Structures, electrical, sign, etc.
 - (e) Parking demand and impacts on neighboring Properties.
 - (f) Duration and hours of operation.
 - (g) Impacts on emergency Access and circulation.
- (5) **DISPLAY OF MERCHANDISE**. Display of outdoor merchandise is subject to an Administrative Permit subject to the following criteria:
 - (a) The display is immediately available for purchase at the Business displaying the item.
 - (b) The merchandise is

- displayed on private property directly in front of or appurtenant to the Business which displays it, so long as the private Area is in an alcove, recess, patio, or similar location that provides a physical separation from the public sidewalk. No item of merchandise may be displayed on publicly owned Property including any sidewalk or prescriptive Right-of-Way regardless if the property Line extends into the public sidewalk. An item of merchandise may be displayed on commonly owned Property; however, written permission for the display of the merchandise must be obtained from the Owner's association.
- (c) The display is prohibited from being permanently affixed to any building. Temporary fixtures may not be affixed to any Historic Building in a manner that compromises the Historic integrity or Façade Easement of the Building as determined by the Planning Director.
- (d) the display does not diminish parking or landscaping.
- (e) The Use does not

violate the Summit County Health Code, the Fire Code, or International Building Code. The display does not impede pedestrian circulation, sidewalks, emergency Access, or circulation. At minimum, forty-four inches (44") of clear and unobstructed Access to all fire hydrants, egress and Access points must be maintained. Merchandise may not be placed so as to block visibility of or Access to any adjacent Property.

- (f) The merchandise must be removed if it becomes a hazard due to wind or weather conditions, or if it is in a state of disrepair, as determined by either the Planning Director of Building Official.
- (g) The display shall not create a hazard to the public due to moving parts, sharp edges, or extension into public Rights-of-Way, including sidewalks, or pedestrian and vehicular Areas; nor shall the display restrict vision at intersections.
- (h) No inflatable devises other than decorative balloons smaller than eighteen inches (18") in

- diameter are permitted.
 Balloon height may not exceed the finished floor elevation of the second floor of the Building.
- (i) No additional signs are allowed. A sales tag, four (4) square inches or smaller may appear on each display item, as well as an informational plaque or associated artwork not to exceed twelve square inches (12 sq. in.) The proposed display shall be in compliance with the City Sign Code, Municipal Code Title 12, the City's Licensing Code, Municipal Code Title 4, and all other requisite City codes.

(Amended by Ord. Nos. 05-49; 06-69; 09-10)

15-2.5-14. <u>VEGETATION</u> PROTECTION.

The Property Owner must protect Significant Vegetation during any Development activity. Significant Vegetation includes large trees six inches (6") in diameter or greater measured four and one-half feet (4 ½') above the ground, groves of small trees, or clumps of oak and maple covering an Area fifty square feet (50 sq. ft.) or more measured at the drip line. Development plans must show all Significant Vegetation within twenty feet (20") of a proposed Development. The

Property Owner must demonstrate the health and viability of all large trees through a certified arborist. The Planning Director shall determine the Limits of Disturbance and may require mitigation for loss of Significant Vegetation consistent with Landscape Criteria in LMC Chapter 15-3-3 and Title 14.

(Amended by Ord. No. 06-69)

15-2.5-15. SIGNS.

Signs are allowed in the HRC District as provided in the Park City Sign Code, Title 12.

15-2.5.16. **RELATED PROVISIONS.**

- Fences and Walls. LMC Chapter 15-4-2.
- Accessory Apartment. LMC Chapter 15-4-7.
- Satellite Receiving Antenna. LMC Chapter 15-4-13.
- Telecommunication Facility. LMC Chapter 15-4-14.
- Parking. LMC Chapter 15-3.
- Landscaping. Title 14; LMC Chapter 15-3-3(D).
- Lighting. LMC Chapters 15-3-3(C), 15-5-5(I).
- Historic Preservation Board. LMC Chapter 15-11.
- Park City Sign Code. Title 12.
- Architectural Review. LMC Chapter 15-5.
- Snow Storage. LMC Chapter 15-3-3(E).
- Parking Ratio Requirements. LMC Chapter 15-3-6.