HISTORIC SITE FORM - HISTORIC SITES INVENTORY

PARK CITY MUNICIPAL CORPORATION (10-08)

1 IDENTIFICATION				- ()		
Name of Property: Rasband's I	Hall					
Address: 268 MAIN ST				AKA:		
City, County: Park City, Summit	: County,	, Utah		Tax Numbe	er: PC-275	
Current Owner Name: HOPE PI				Parent Pare	cel(s):	
Current Owner Address: 789 NO			LAKE CITY, I		()	
Legal Description (include acrea 4E LOT A & S'LY 7 FT LOT 1 B IN THE W WALL OF A FRAME 22, PARK CITY SURVEY; TH N S 66*12' W 3.30 FT TO A COR OF BEG CONT .0001 AC BAL (850-695 1501-1774-1776 1698-	ELK 22 P BLDG S I 66*12' IN SD B 0.06 AC	ARK CITY SUF SD PT BEING N E 3.30 FT; TH BLDG; TH ALON M134-651 M14	RVEY LESS T N 35.35 FT & S 23*38' E 3.8 NG THE W W	THE FOLLO E 62.80 FT 85 FT; TH A 'ALL OF SD	WING: BEG AT A PT FROM THE SW COR LO LLONG THE S WALL OF BLDG N 23*38' W 3.85	OT 1 BLK SD BLDG FT TO PT
2 STATUS/USE						
Property Category ☑ building(s), main □ building(s), attached □ building(s), detached □ building(s), public □ building(s), accessory		dmark Site ificant Site	Reconstructure Date: Permit #: □ Full □		<u>Use</u> Original Use: Comme Current Use: Comme	
□ structure(s)		nal Register of H				
					reet Historic District) in the National Register.	
3 DOCUMENTATION		J		J	ŭ	
Photos: Dates ☑ tax photo: ☑ prints: ☐ historic: c. Drawings and Plans ☐ measured floor plans ☐ site sketch map ☐ Historic American Bldg. Surve ☐ original plans: ☐ other:	ey	Research Sould abstract of the desired sever permoder of the sewer permoder of the desired sewer permoder of the desired and the desired sewer permoder of	title ding permit nit aps lex ries/gazetteer ords Il encyclopedi	s	consulted, whether useful it city/county histories personal interviews Utah Hist. Research USHS Preservation FUSHS Architects File LDS Family History LPark City Hist. Soc/Nuniversity library(ies) other:	Center Files Library
<u>Bibliographical References</u> (bod	oks, artic	eles, interviews,	etc.) Attach	copies of all	I research notes and ma	terials.
Blaes, Dina & Beatrice Lufkin. "Fina Carter, Thomas and Goss, Peter. University of Utah Graduate So Longstreth, Richard. <i>The Buildings</i> Alta Mira Press, a division o Notarianni, Philip F., "Park City Mai 1979. Roberts, Allen. "Final Report." Park	Utah's His chool of A s of Main of Rowma in Street I	storic Architectur Architecture and l Street; A Guide t In & Littlefield Pu Historic District."	e, 1847-1940: a Jtah State Hist to Commercial blishers, Inc., 2 National Regis	a Guide. Salt orical Society Architecture. 2000. ster of Historic	t Lake City, Utah: /, 1991. Updated edition. Walnut C c Places Inventory, Nomina	
4 ARCHITECTURAL DESCRIF	PTION 8	INTEGRITY				
Building Type and/or Style: One	e-part blo	ock with false fro	ont.		No. Stories: 1.1	1/2

Researcher/Organization: Preservation Solutions/Park City Municipal Corporation Date: 12-2008

Additions: ☐ none ☑ minor ☐ major (describe below) Alterations: ☐ none ☐ minor ☑ major (describe below)
Number of associated outbuildings and/or structures: □ accessory building(s), #; □ structure(s), #
General Condition of Exterior Materials:
☑ Good (Well maintained with no serious problems apparent.)
☐ Fair (Some problems are apparent. Describe the problems.):
☐ Poor (Major problems are apparent and constitute an imminent threat. Describe the problems.):
☐ Uninhabitable/Ruin
Materials (The physical elements that were combined or deposited during a particular period of time in a particular pattern or configuration. Describe the materials.): Foundation: Concrete.
Walls: Drop siding (narrow reveal)
Roof: Assumed to be a false front with gable roof.
Windows/Doors: Paired double-hung sash type and paired fixed casement display windows.
Essential Historical Form: ☑ Retains ☐ Does Not Retain, due to:
Location: ☑ Original Location ☐ Moved (date) Original Location:
Design (The combination of physical elements that create the form, plan, space, structure, and style. Describe additions and/or alterations from the original design, including datesknown or estimatedwhen alterations were made): The 1½-story frame one-part block resembles the building seen in a tax photo, but appears to be an inaccurate reconstruction of the historic building (see tax photo). The alterations are significant and diminish the site's original design character.
Setting (The physical environmentnatural or manmadeof a historic site. Describe the setting and how it has changed over time.): The setting has not been altered.
Workmanship (The physical evidence of the crafts of a particular culture or people during a given period in history. Describe the distinctive elements.): Much of the physical evidence from the period that defines the typical Park City mining era commercial building has been altered and, therefore, lost. This structure is a reconstruction (not accurate) based on early photographs.
Feeling (Describe the property's historic character.): The physical elements of the site, in combination, convey a sense of the commercial activity in a western mining town of the late nineteenth and early twentieth centuries.
Association (Describe the link between the important historic era or person and the property.): The one-part block is one of the most common commercial building types constructed in Park City during the mining era; however, the extent of the alterations to the main building diminishes its association with the past.
This site was listed on the National Register of Historic Places in 1979 as part of the <i>Park City Main Street Historic District</i> . It was built within the historic period (1868-1929) and is associated with the mining era, but has subsequently had major alterations and would no longer be considered eligible for the National Register as part of an updated or amended nomination. As a result, it does not meet the criteria set forth in LMC Chapter 15-11 for designation as a Landmark Site. It, however, retains important local historic significance and meets the criteria set forth in LMC Chapter 15-11 for designation as a Significant Site.
5 SIGNIFICANCE
Architect: ☑ Not Known ☐ Known: (source:) Date of Construction: c. 1898¹

¹ 1900 Sanborn Insurance map.

Builder: ☑ Not Known ☐ Known:	(source:)
The site must represent an importal significant under one of the three ar	nt part of the history or architecture of the community. A site need only be reas listed below:
o o	

Park City was the center of one of the top three metal mining districts in the state during Utah's mining boom period of the late nineteenth and early twentieth centuries, and it is one of only two major metal mining communities that have survived to the present. Park City's commercial buildings represent the best remaining metal mining town business district in the state. The buildings along Main Street, in particular, provide important documentation of the commercial character of mining towns of that period, including the range of building materials, building types, and architectural styles. They contribute to our understanding of a significant aspect of Park City's economic growth and architectural development as a mining business district².

- 2. Persons (Describe how the site is associated with the lives of persons who were of historic importance to the community or those who were significant in the history of the state, region, or nation):
- 3. Architecture (Describe how the site exemplifies noteworthy methods of construction, materials or craftsmanship used during the historic period or is the work of a master craftsman or notable architect):

6 PHOTOS

Digital color photographs are on file with the Planning Department, Park City Municipal Corp.

Photo No. 1: West elevation. Camera facing east, 2006.

Photo No. 2: West elevation. Camera facing east, 1995.

Photo No. 3: Southwest oblique. Camera facing northeast, tax photo.


² From "Park City Main Street Historic District" written by Philip Notarianni, 1979 and "Residences of Mining Boom Era, Park City - Thematic Nomination" written by Roger Roper, 1984.

PC 275 A

Kind of Bldg. Stone (Tavera		204	MAN		4-		_
Class \ RmsTyp			-			Totals	
	u. Ft.	Sq. Ft.	-	Factor	2		
\ x x		226	6/		\$	391.	2
x x	-		1				-
X X	197 - 11 -		Roof				
Att. Gar. x Flr.	Walls	- 1		ditions			_
Description of Build		1	Adi	attions	1/0	caut	
Foundation— Stone Conc		None //			4.0		
Ext. Walls Sidney						30%	10000
Insulation— FloorsWalls					9	ood Co	mel
Roof Type Mtl.		1 1					
Dormers— Small Med		1					
Bays— Small Med	1						
Porches — Front							
Rear	- / @						
Basement Entr.	1 1						
Planters	1 /		E	577			
Cellar-Bsmt. — 1/4 1/3 1/2 2/3 3/4 Full	Mr. Mari		-	216			
Bsmt. Apr Rooms Fin							
Attic Rooms Fin.							
Class Tub Sink	Tr						
Plumbing Basin Sink Frns. Frns.							
Dishwasher C				305			
Heat Stove H.A. Steam	-						
Oil Gas Coal Pipel	ess R	adiant	1	113			
Air Cond.							
Finish— Fir Hd. Wd.							
Floor- Fir Hd. Wd	Other						
Cabinets Mantels	Ble In_						
Tile— WallsWainscot	Floors	s					
Electrical— OurletsI	ixt						
Storm Sash— WoodMetal	Doors	_ Sash					
Metal Awnings							
	1						
	1						
Total Additions			10	140			
Year Built 190 / Avg.	Reproduct	on Value			\$	585	2
Age	Depr. Co	1. 1 2 3 4	5 6	31 %	-	10.1	1
Inf. by Owner Tenant		. Minus De				- 54	1
Neighbor - Record - Est.		Rem	3)	0 %	5	177	0
Remodel Year Est. Cost Garage— Class Depr. 2% 3%		. value			-		
CarsFloorWalls		of .	Doore				
Size x Age						2	
OtherXAge	_ Cost		_ ^_	70			
	Т	otal Building	g Valu	ue	5		
		W.			-1100		
Appraised 12-12-57	19	By\	33	1			

marke: Bant 10 high	-	1				-	+	T	7	-7		-											F												i	
31\frac{10}{2}					1	Ť		1																												
31\frac{10}{2}																																				
31\frac{12}{2}								1																												
31\frac{12}{2}					4				4	-							-		-	-			H				-	H		-	-			-	-	
31\frac{12}{2}					+			1																												
31\frac{12}{2}						t		Ħ																												
31\frac{10}{2}																						110	L													
31\frac{12}{2}								_																				_								
31\frac{12}{2}		4						-															Н													
31\frac{10}{2}						t	t	1												T			Ħ													
31\frac{10}{2}					I	t																	П													
31\frac{10}{2}					1																		Н	-		-	_		E							H
31\frac{10}{2}		-			4				4						-					4			H													
31\frac{10}{2}						+		+																												
31\frac{12}{2}					1																		1													
31\frac{12}{2}																																				
31\frac{12}{2}					_1																															
31\frac{12}{2}								-	-														1													
31\frac{10}{2}								-																												
31\frac{10}{2}																																				
31\frac{12}{2}						******		Į													-	72	П													
emarks: Bant 10 high					4	4	4																Н													
emarks: Bant 10 high							+		H														H													
emarks: Bant 10 high						t			Н														Ħ													
emarks: Bant 10 high			-			1																	T													
emarks: Bant 10 high																L																				
emarks: Bant 10 high						4																			H	H							H			
emarks: Bant 10 high		-		Н	-		H	-																												
emarks: Bant 10 high					_	norther box	****		-		*******																									
emarks: Bant 10 high						1																	П													
emarks: Bant 10 high	1		-	Н	-			-	Н	-													H	H				-					H	+		
emarks: Bant 10 high		+	Н																				L					h								
emarks: Bant 10 high		+	-				-	****			-		П										Ī					Π								
emarks: Bant 10 high																																				
emarks: Bant 10 high																												-					-			
emarks: Bant 10 high								-	-							3	14	2.										H					-			
		-	+	-									-	-				-						-	-	-					-		-			
								-											-																	
								000000																												
			F																																	
		1.				Ц						1										,	L					L		1		L	L			L
		-	-	-		-	-		_	-	-	1				_			-	_	-			_												

Owners Name			1										
Location				PH	RE	C174							
Kind of Bldg. 5	TORE	4.20	St. 1	No. 304	-A	22/1		i lu was					
Class	1			. Cost \$	1	and the same of		x 106 %					
Stories Dimer		_	. Ft.	Factor	_	Totals		Totals					
/ x	×	x 2268 87284 8											
x	x	-	-0		Φ.,		Φ						
x	x												
Att. Gar.—C.P.		Flr.	Walls	C1.									
	escription	THE RESERVE OF THE PARTY OF THE	terror and the second			Additions		Additions					
Foundation—Stone		C	/	Calla									
Ext. Walls		_ Conc.	-	51118			0						
Roof Type	O STREET, STRE	7//-1	She	1/		12'	H						
The state of the s						0 8							
Dormers—Small				- IMI		W1 185 L		/					
					البراز	0 1		/					
Porches—Front							/						
Rear			1	F									
Porch			1	[a									
Planters					105								
Ext. Base. Entry	1/ 1/ 2/	72 2 E. II	1722	@88B	7	1814							
Cellar-Bsmt. — ¼		74 Full	7	1001		1							
Bsmt. GarBasement-Apt		8 11	Elin Dr										
Attic Rooms Fin.													
	1					393_							
					-	145							
Plumbing Wtr.	_/;	_ Shr.	St	_ д.т									
	vasher												
Heat-Stove H.	A. FA	/ HW	Stkr	Elec		1007							
Gas _	Coal	Pipele	ess I	Radiant									
Air Cond. — Full													
Finish—Fir.	Hd. Wd		Par	nel				1					
Floor-Fir.	Hd. Wo	1_=	Oth	er									
Cabinets	Mant	els			-	•							
Tile -Walls	Wains	cot	F	loors	-								
Storm Sash-Wood	1 DS	;	Metal D.	S	-								
Awnings - Metal		F	iberglass	-									
-													
-		.61	1										
Total Additions		19!	(3359							
Year Built 90	Avg.	1.53	Replace	ment Cost	1	0,643							
Ren 963AV19	Age	2.	Obsoles	cence									
Inf. by Owner -	Tenant -		Adj. Blo	l. Value									
Neighbor	r - Record	- Est.	Conv. F	actor		x.47							
	Replace	ment (Cost—194	0 Base		5002							
	Depreci	ation (Column 1	2 3 4 5	6	34							
	1940 Ba	se Cost	, Less De	preciation	9	1761							
Total Value from r	everse side												
		T	otal Buil	ding Valu	e	\$/701							
Appraised ①	-25		19 6	1 By 1	18	0 .							
Appraised ②			19										



RESIDENTIA	AL OUT BUI	LDINGS	Age	Size	Area	Fac- tor	Cost	Conv. Fac.	Adj. Cost	Depr. Value
				x				.47		
				x				.47		
				x				.47		
				x				.47		
				x				.47		
				x				.47		
Garage — Cla	ss]	Depr. 2%	3%							
Cars	Floor	Wal	ls	Roof		D	oors			
Size	_ x	_ Age		_ Cost			x 47 %			
	_ 1940 Base Co	st:	х	_% Depr.						
					То	tal				
REMARKS _										
iii iii										
TC-74 REV. 61										





